

Dry mixture of cement plastic screed contains: - 18 % of weight to 24 % of weight of plastic crumb, - 20 % of weight to 26 % of weight of Portland cement, - 20 % of weight to 26 % of weight of silica sand with a fraction 0.2 to 0.8 mm, - 2.7 % of weight to 3.1 % of weight of superplasticizer, - 2.0 % of weight to 2.7 % of weight of silica fume (microsilica)  $\text{SiO}_2$ , - Gravel with a fraction 0/4 in additional quantity to 100 % of weight.